

IN THE CLAIMS

Please cancel claims 1-2 without prejudice. Please amend claim 3, and please add claims 35 and 36 as follows:

1. (Canceled)
2. (Canceled)
3. (Currently Amended) A method for the measurement of differential heat flux, said method comprising the steps of:
 - (a) providing a heat transfer reference surface;
 - (b) providing a heat transfer fouling surface;
 - (c) providing a heat transfer path capable of transferring heat flux between said reference surface and said fouling surface;
 - (d) providing a pair of heat flux sensors for measuring differential heat flux data across said heat transfer path;
 - (e) utilizing said differential heat flux data to detect and quantify deposit accumulation at said fouling surface.
4. (Original) The method of claim 3 wherein said differential heat flux data is calculated according to the formula $\Delta Q_t = Q_r - C \cdot Q_f$.
5. (Original) The method of claim 3 wherein said reference surface is provided by mechanical brushing.
6. (Original) The method of claim 4 wherein said reference surface is provided by mechanical brushing.

7. (Original) The method of claim 3 wherein said reference surface is provided by sonic waves.
8. (Original) The method of claim 4 wherein said reference surface is provided by sonic waves.
9. (Original) The method of claim 3 wherein said reference surface is provided by an electronic device capable of maintaining a constant reference heat flux on said reference surface.
10. (Original) The method of claim 4 wherein said reference surface is provided by an electronic device capable of maintaining a constant reference heat flux on said reference surface.
11. (Original) The method of claim 3 wherein said reference surface is provided by a non-fouling fluid.
12. (Original) The method of claim 11 wherein said non-fouling fluid is deionized water.
13. (Original) The method of claim 11 wherein said non-fouling fluid is synthetic cooling fluid.
14. (Original) The method of claim 11 wherein said non-fouling fluid is a combination of fluid exiting from the fouling tube and antifouling chemicals.
15. (Original) The method of claim 4 wherein said reference surface is provided by a non-fouling fluid.

16. (Original) The method of claim 15 wherein said non-fouling fluid is deionized water.
17. (Original) The method of claim 15 wherein said non-fouling fluid is synthetic cooling fluid.
18. (Original) The method of claim 15 wherein said non-fouling fluid is a combination of fluid exiting from the fouling tube and antifouling chemicals.
19. (Original) The method of claim 3 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
20. (Original) The method of claim 4 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
21. (Original) The method of claim 5 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
22. (Original) The method of claim 6 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.

23. (Original) The method of claim 7 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
24. (Original) The method of claim 8 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
25. (Original) The method of claim 9 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
26. (Original) The method of claim 10 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
27. (Original) The method of claim 11 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
28. (Original) The method of claim 12 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.

29. (Original) The method of claim 13 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
30. (Original) The method of claim 14 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
31. (Original) The method of claim 15 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
32. (Original) The method of claim 16 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
33. (Original) The method of claim 17 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;
 - (b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.
34. (Original) The method of claim 18 further comprising the steps of:
 - (a) generating a signal indicative of said heat flux data;

(b) transmitting said signal to a microprocessor which continuously calculates, records, and displays said heat flux data.

35. (New) The method of claim 3 wherein said heat flux sensors are thin-film heat flux sensors.
36. (New) The method of claim 3 wherein said heat flux sensors are responsive to heat energy at said reference surface and said fouling surface.